

Over 500 spider species have been reported to occur in Illinois. This checklist includes 558 species, and there may be records in the literature that have eluded the author's attention. This checklist of Illinois species has been compiled from sources cited below. The initials in parentheses that follow each species name and authorship in the list denote the paper or other source in which the species was reported. Locality data, dates of collection, and other information about each species can be obtained by referring to the indicated sources.

- (AAS) American Arachnological Society Spider Species List for North America, published on the web site of the American Arachnological Society:
http://americanarachnology.org/AAS_information.html
- (B&N) Beatty, J. A. and J. M. Nelson. 1979. Additions to the Checklist of Illinois Spiders. *The Great Lakes Entomologist* 12:49-56.
- (JB) Beatty, J. A. 2002. The Spiders of Illinois and Indiana, their Geographical Affinities, and an Annotated Checklist. *Proc. Ind. Acad. Sci.* 1:77-94.
- (BC) Cutler, B. 1987. A Revision of the American Species of the Antlike Jumping Spider Genus *Synageles* (Araneae: Salticidae). *J. Arachnol.* 15:321-348.
- (G&P) Gertsch, W. J. And N. I. Platnick. 1980. A Revision of the American Spiders of the Family Atypidae (Araneae, Mygalomorphae). *Amer. Mus. Novitates* 2704:1-39.
- (BK) Kaston, B. J. 1955. Check List of Illinois Spiders. *Trans. Ill. State Acad. Sci.* 47: 165-172.
- (SK) Kendeigh, S. C. 1979. Invertebrate Populations of the Deciduous Forest Fluctuations and Relations to Weather. *Illinois Biol. Monog.* 50:1-107.
- (L&U) LeSar, C. D. and J. D. Unzicker. 1978. Soybean Spiders: Species Composition, Population Densities, and Vertical Distribution. *Ill. Nat. Hist. Survey Biol. Notes* 107:3-14.
- (AM) Millidge, A. F. 1987. The Erigonine Spiders of North America. Part 8. The Genus *Epirigone* Crosby and Bishop (Araneae, Linyphiidae). *Amer. Mus. Novitates* 2885: 1-75.
- (BM) Moulder, B. C. 1966. Spiders of Illinois: Additional Species. *Trans. Ill. State Acad. Sci.* 59:294-295.
- (U&D) Uetz, G. W. and C. D. Dondale. 1979. A New Wolf Spider in the Genus *Schizocosa* (Araneae: Lycosidae) from Illinois. *J. Arachnol.* 7:86-88.
- (W&E) Wallace, H. K. and H. Exline. 1978. Spiders of the Genus *Pirata* in North America, Central America, and the West Indies (Araneae: Lycosidae). *J. Arachnol.* 5:1-112.
- * The spider species preceded with an asterisk (*) are discussed in, *A Guide to the Common Spiders of Illinois*, Bennett Moulder. 1992. Illinois State Museum publication, Popular

ORDER ARANEAE

Mygalomorphae

Family Antrodiaetidae

Antrodiaetus unicolor (Hentz) (B&N)

Atypoides hadros Coyle (B&N)

Family Atypidae

Sphodros atlanticus Gertsch & Platnick (G&P)

S. niger (Hentz) [Kaston's *Atypus milberti*; not *A. milberti* (Walckenaer)] (BK)

S. rufipes (Latreille) (G&P)

Family Ctenizidae

Ummidia tuobita (Chamberlin) (BK)

Araneomorphae

Family Oonopidae

Orchestina saltitans Banks (B&N)

Family Segestriidae

Ariadna bicolor (Hentz) (B&N)

Family Dysderidae

Dysdera crocata C. L. Koch (BK)

Family Scytodidae

Scytodes thoracica (Latreille) (B&N)

Family Sicariidae

**Loxosceles reclusa* Gertsch & Mulaik (B&N)

L. rufescens (Dufour) (B&N)

Family Pholcidae

**Pholcus phalangioides* (Fuesslin) (BK)

Spermophora senoculata (Duges) [= *S. meridionalis* Hentz] (B&N)

Family Mysmenidae

Maymena ambita (Barrows) (B&N)

Microdipoena guttata Banks [= *Mysema guttata* (Banks)] (B&N)

Family Theridiidae

- Achaearanea globosa* (Hentz) [= *Hentziectypus globosus* (Hentz)] (BK)
A. porteri (Banks) (B&N)
A. rupicola (Emerton) [= *Theridion rupicola* Emerton] (BK)
**A. tepidariorum* (C. L. Koch) [= *Theridion tepidariorum* C. L. Koch] (BK)
Argyrodes cancellatus (Hentz) (B&N)
A. elevatus Taczanowski (B&N)
A. fictilium (Hentz) (B&N)
A. trigonum (Hentz) (B&N)
Crustulina altera Gertsch & Archer (BK)
C. sticta (O. P. Cambridge) (BK)
**Dipoena nigra* (Emerton) (BK)
D. prona (Menge) (B&N)
Enoplognatha caricis (Hickert) [= *E. tecta* (Keyserling)] (B&N)
E. intrepida (Sorensen) [= *E. rugosa* Emerton] (BK)
E. joshua Chamberlin & Ivie (B&N)
E. marmorata (Hentz) (BK)
Episinus amoenus Banks (unpublished record)
Euryopsis argentea Emerton (BK)
E. funebris (Hentz) [= *E. limbata* (Walckenaer)] (BK)
E. gertschi Levi (BK)
E. quinque maculata Banks (B&N)
**Latrodectus mactans* (Fabricius) (BK)
**L. variolus* Walckenaer (B&N)
Pholcomma hirsutum Emerton (JB)
Phoroncidia americana (Emerton) (B&N)
Robertus eremophilus Chamberlin [= *Ctenium eremophilus* (Chamberlin)] (BK)
R. frontatus (Banks) [= *Ctenium frontata* Banks] (B&N)
R. laticeps (Keyserling) [= *Ctenium laticeps* (Keyserling)] (BK)
R. riparius (Keyserling) [= *Ctenium riparius* (Keyserling)] (BK)
Spintharus flavidus Hentz (BK)
Steatoda albomaculata (DeGeer) [= *Lithyphantes albomaculatus* (DeGreer)] (BK)
S. americana (Emerton) [= *Asagena americana* Emerton] (BK)
**S. borealis* (Hentz) (BK)
**S. triangulosa* (Walckenaer) [= *Teutana triangulosa* (Walckenaer)] (BK)
Stemmops ornatus (Bryant) (B&N)
Theridion alabamense Gertsch & Archer (B&N)
T. albidum Banks (B&N)
T. antoni Keyserling (B&N)
T. differens Emerton (BK)
T. flavonotatum Becker (B&N)
**T. frondeum* Hentz (BK)
T. glaucescens Becker [= *T. spirale* Emerton] (BK)
T. hemerobium Simon [= *T. berkeleyi* Emerton] (B&N)
T. llano Levi (B&N)
T. lyricum Walckenaer (B&N)
T. murarium Emerton (BK)
T. neshamini Levi (B&N)
T. pennsylvanicum Emerton (BK)

T. pictipes Keyserling (B&N)
T. pictum (Walckenaer) [= *T. zelotypum* Emerton] (BK)
T. punctosparsum Emerton (BK)
T. rabuni Chamberlin & Ivie (L&U)
**Theridula opulenta* (Walckenaer) (BK)
Thymoites pallidus (Emerton) (B&N)
T. unimaculatus (Emerton) [= *Theridion unimaculatum* Emerton] (BK)
Wamba crispulus (Simon) [= *Theridion crispulum* Simon] (B&N)

Family Nesticidae

Eidmannella pallida (Emerton) (BK)

Family Linyphiidae

Bathyphantes alboventris (Banks)
B. concolor (Wider) (BK)
B. pallidus (Banks)
Centromerus cornupalpis (O. P. Cambridge) (BK)
C. latidens (Emerton) (BK)
Ceraticelus atriceps (O. P. Cambridge) (BK)
C. bulbosus (Emerton) (BK)
C. creolus Chamberlin (B&N)
C. emertoni (O. P. Cambridge) (BK)
C. fissiceps (O. P. Cambridge) (BK)
C. laetabilis (O. P. Cambridge) (BK)
C. limnologicus Crosby & Bishop (BK)
C. micropalpis (Emerton) (B&N)
C. minutus (Emerton) (B&N)
C. similis (Banks) (BK)
Ceratinella brunnea Emerton (BK)
Ceratinops rugosus (Emerton) (BK)
Ceratinopsis formosa (Banks) (B&N)
Ceratinopsis laticeps Emerton (B&N)
C. nigriceps Emerton (L&U)
C. nigripalpis Emerton [= *C. tarsalis* Emerton] (B&N)
C. purpurescens Keyserling (B&N)
C. sutoris Crosby & Bishop (BK)
C. xanthippe (Keyserling) (BK)
C. yola Chamberlin & Ivie (BK)
Diplocentria bidentata (Emerton) [= *Scotoussa bidentata* (Emerton)] (BK)
Eperigone eschatologica Crosby (JB)
E. fradeorum (Berland) (AM)
E. maculata (Banks) (BK)
E. tridentata (Emerton) (BK)
E. trilobata (Emerton) (BK)
Eridantes erigonoides (Emerton) (BK)
Erigone atra Blackwall (BK)
E. autumnalis Emerton (BK)
E. blaesa Crosby & Bishop (BK)
E. dentigera O. P. Cambridge (BK)

E. infernalis Keyserling (JB)
Floricomus plumalis (Crosby) (BK)
F. rostratus (Emerton) (B&N)
Florinda coccinea (Hentz) (BK)
 **Frontinella communis* (Hentz) [= *F. pyramitela* (Walckenaer)] (BK)
Glyphesis scopulifera (Emerton) (JB)
Gonatium rubens Blackwall (B&N)
Grammonota inornata Emerton (B&N)
G. pictilis (O. P. Cambridge) (B&N)
Graphomoa theridioides Chamberlin (JB)
Halorates plumosus (Emerton) [= *Collinsia plumosa* (Emerton)] (BK)
Hypselistes florens (O. P. Cambridge) (BK)
Islandiana flaveola (Banks) (BK)
I. longisetosa (Emerton) (BK)
Lepthyphantes sabulosus (Keyserling) (B&N)
Megalepthyphantes nebulosus (Sundevall) [= *Lepthyphantes nebulosa* (Sundevall)](BK)
Meioneta evadens (Chamberlin) (BK)
M. fabra (Keyserling) (L&U)
M. micaria (Emerton) (BK)
M. unimaculata (Banks) (BK)
Microlinyphia mandibulata (Emerton) [= *Linyphia pusilla*: Kaston 1948 and 1955
 (not *pusilla* Sundevall)] (BK)
Microneta viaria (Blackwall) (BK)
Nerienne clathrata (Sundevall) (JB)
 **N. radiata* (Walckenaer) [= *Prolinyphia marginata* (C. L. Koch)] (BK)
N. variabilis (Banks) [= *Linyphia maculata* (Emerton)] (BK)
Origanates rostratus (Emerton) (BK)
Paracornicularia bicapillata Crosby & Bishop (B&N)
Phanetta subterranea Emerton (B&N)
 **Pityohyphantes costatus* (Hentz) (BK)
Porrhomma cavernicola (Keyserling) (JB)
Satilatlas arenarius (Emerton) [= *Minyriolus arenarius* (Emerton)] (BK)
Scotoussa bidentatus (Emerton) (BK)
Scylaceus pallidus (Emerton) [= *S. pallas* Chamberlin] (BK)
Souessoula parva (Banks) (BK)
Stemonyphantes blauveltae Gertsch (BK)
Tapinocyba scopulifera (Emerton) (L&U)
Tapinopa bilineata Banks (B&N)
Tennesseeillum formicum (Emerton) (BK)
Tmeticus ornatus (Emerton) (BK)
Tutaibo anglicanus (Hentz) [= *Ceratinopsis anglicana* (Hentz)] (BK)
Walckenaeria brevicornis (Emerton) [*Cornicularia brevicornis* Emerton] (BK)
W. directa (O. P. Cambridge) [= *Cornicularia directa* (O. P. Cambridge) in part] (BK)
W. indirecta (O. P. Cambridge) [= *Cornicularia indirecta* (O. P. Cambridge)] (BK)
W. spiralis (Emerton) [Millidge (1983) states that Kaston misidentified this species as
W. vigilax (Blackwall)] (BK)
W. subdirecta Millidge [= *Cornicularia directa* (O. P. Cambridge) in part] (BK)

Family Araneidae

- * *Acacesia hamata* (Hentz) (BK)
- Acanthepeira cherokee* Levi (B&N)
- A. marion* Levi (B&N)
- * *A. stellata* (Walckenaer) (BK)
- Araneus bicentenarius* (McCook) [= *A. gigas* (Leach)]
- A. bonsallae* (McCook) (B&N)
- A. cingulatus* (Walckenaer) (B&N)
- A. gemmoides* Chamberlin & Ivie (B&N)
- A. guttulatus* (Walckenaer) (B&N)
- A. juniperi* (Emerton) [= *Conepeira juniperi* (Emerton)] (BK)
- * *A. marmoreus* Clerck (BK)
- A. niveus* (Hentz) (B&N)
- A. partitus* (Walckenaer) [probably Kaston's (1955) *Conepeira miniata* (Walckenaer)] (B&N)
- A. pegnia* (Walckenaer) [= *Neosconella pegnia* (Walckenaer)] (BK)
- A. pratensis* (Emerton) [= *Singa pratensis* Emerton] (BK)
- A. saevus* (L. Koch) [= *A. solitarius* (Emerton)] (BK)
- A. thaddeus* (Hentz) [= *Neosconella thaddeus* (Hentz)] (BK)
- A. trifolium* (Hentz) (BK)
- Araniella displicata* (Hentz) (BK)
- * *Argiope aurantia* (Lucas) (BK)
- * *A. trifasciata* (Forsk.) (BK)
- Cercidia prominens* (Westrig) (BK)
- * *Cyclosa conica* (Pallas) (BK)
- C. turbinata* (Walckenaer) (BK)
- * *Eustala anastera* (Walckenaer) (BK)
- E. cepina* (Walckenaer) (AAS)
- E. emertoni* (Banks) (AAS)
- Gea heptagon* (Hentz) [= *G. ergaster* (Walckenaer) of Kaston's (1955) checklist] (BK)
- Hypsosinga funebris* (Keyserling) (B&N)
- H. pygmaea* (Sundevall) [= *Singa variabilis* Emerton] (BK)
- H. rubens* (Hentz) [= *Singa nigripes* Keyserling] (BK)
- Larinia borealis* Banks (BK)
- L. directa* (Hentz) unpublished record
- Larinioides cornutus* (Clerck) [= *Nuctenea cornuta* (Clerck)] (BK)
- L. patagiata* (Clerck) [= *Nuctenea patagiata* (Clerck)] (BK)
- L. sclopetaria* (Clerck) [= *Nuctenea sericata* (Clerck)] (BK)
- * *Mangora gibberosa* (Hentz) (BK)
- M. maculata* (Keyserling) [= *M. ornata* (Walckenaer) of Kaston's (1955) checklist] (BK)
- M. placida* (Hentz) (BK)
- Mastophora bisaccata* (Emerton) (B&N)
- M. hutchinsoni* Gertsch (BK)
- M. phrynosoma* Gertsch (B&N)
- Metazygia calix* (Walckenaer) [= *Alpaida calix* (Walckenaer)] (B&N)
- Metepeira labyrinthea* (Hentz) (BK)
- * *Micrathena gracilis* (Walckenaer) (BK)
- * *M. mitrata* (Hentz) (BK)
- * *M. sagittata* (Walckenaer) (BK)

- **Neoscona arabesca* (Walckenaer) (BK)
- **N. crucifera* (Lucas) [= *N. hentzii* (Keyserling); Kaston's (1955) *N. sacra* (Walckenaer)] (BK)
- N. domiciliorum* (Hentz) (B&N)
- N. oaxacensis* (Keyserling) unpublished record
- N. pratensis* (Hentz) (BK)
- Ocrepeira ectypa* (Walckenaer) [= *Wixia anaglypha* (Walckenaer)] (BK)
- Singa eugeni* Levi (JB)
- S. keyserlingi* McCook (B&N)
- **Verrucosa arenata* (Walckenaer) (BK)

Family Tetragnathidae

- Dolichognatha pentagona* (Hentz) (B&N)
- Glenognatha foxi* (McCook) (BK)
- **Leucauge venusta* (Walckenaer) (BK)
- Meta ovalis* (Gertsch) (BK)
- Pachygnatha autumnalis* Marx (JB)
- P. brevis* Keyserling (B&N)
- P. dorothea* McCook (JB)
- P. tristriata* C. L. Koch (BK)
- P. xanthostoma* C. L. Koch (BK)
- Tetragnatha caudata* Emerton (BK)
- **T. elongata* Walckenaer (BK)
- T. guatemalensis* O. P. Cambridge [= *T. seneca* Seeley] (B&N)
- **T. laboriosa* Hentz (BK)
- T. pallescens* F. O. P. Cambridge (BK)
- T. shoshone* Levi (JB)
- **T. straminea* Emerton (BK)
- T. vermiformis* Emerton (JB)
- **T. versicolor* Walckenaer (BK)

Family Theridiosomatidae

- Theridiosoma gemmosum* (L. Koch) [= *T. radiosa* (McCook) of Kaston's (1955) checklist] (BK)

Family Mimetidae

- Ero furcata* (Villers) (B&N)
- Mimetus epeiroides* Emerton (B&N)
- M. notius* Chamberlin (BK)
- M. puritanus* Chamberlin (B&N)

Family Hahniidae

- Antistea brunnea* (Emerton) (B&N)
- Calymmaria cavicola* (Banks) (B&N)
- Hahnia cinerea* Emerton (BK)
- H. flaviceps* Emerton (B&N)
- Neoantistea agilis* (Keyserling) (BK)
- N. magna* (Keyserling) [= *N. riparia* (Keyserling)] (BK)

Family Agelenidae

- Agelenopsis emertoni* Chamberlin & Ivie (B&N)
- A. kastoni* Chamberlin & Ivie (B&N)
- **A. naevia* (Walckenaer) (BK)
- **A. pennsylvanica* (C. L. Koch) (BK)
- A. potteri* (Blackwall) (BK)
- A. utahana* (Chamberlin & Ivie) (BK)
- **Tegenaria domestica* (Clerck) (BK)

Family Cybaeidae

- Cybaeus giganteus* Banks [= *C. silicis* Barrows] (B&N)

Family Pisauridae

- Dolomedes albineus* Hentz (B&N)
- **D. scriptus* Hentz (BK)
- D. striatus* Giebel [= *D. fulvitreronotatus* Bishop in Kaston's (1955) checklist] (BK)
- **D. tenebrosus* Hentz (BK)
- D. triton* (Walckenaer) [= *D. scapularis* Koch] (BK)
- D. vittatus* Walckenaer [= *D. urinator* Hentz in Kaston's (1955) checklist; *D. vittatus* Hentz in Kaston's checklist is doubtless *D. vittatus* Walckenaer] (BK)
- Pisaurina brevipes* (Emerton) (BK)
- P. dubia* (Hentz) (B&N)
- **P. mira* (Walckenaer) (BK)
- P. undulata* (Keyserling) [unpublished record; single specimen collected by Bryan McGee near a stream four miles west of Jacksonville, IL , August 1988]

Family Oxyopidae

- Oxyopes aglossus* Chamberlin (B&N)
- **O. salticus* Hentz (BK)
- **O. scalaris* Hentz (BM)

Family Lycosidae

- Allocosa funerea* (Hentz) [= *Arctosa funerea* (Hentz)] (BK)
- A. georgicola* (Walckenaer) [= *Lycosa georgicola* Walckenaer] (B&N)
- A. sublata* (Montgomery) (AAS)
- Arctosa emertoni* Gertsch (BK)
- A. littoralis* (Hentz) (BK)
- Geolycosa missouriensis* (Banks) (BK)
- G. wrighti* (Emerton) (BK)
- Gladicosa gulosa* (Walckenaer) [= *Lycosa gulosa* Walckenaer] (BK)
- G. pulchra* (Keyserling) [= *Lycosa pulchra* (Keyserling)] (B&N)
- Hogna aspersa* (Hentz) [= *Lycosa aspersa* Hentz] (BK)
- H. baltimoriana* (Keyserling) [= *Lycosa baltimoriana* (Keyserling)] (BK)
- **H. carolinensis* (Walckenaer) [= *Lycosa carolinensis* Walckenaer] (BK)
- H. frondicola* (Emerton) [= *Lycosa frondicola* Emerton] (BK)
- **H. helluo* (Walckenaer) [= *Lycosa helluo* Walckenaer] (BK)
- Pardosa distincta* (Blackwall) (BK)
- P. fuscata* (Thorell) (JB) (AAS)
- **P. lapidicina* Emerton (B&N)
- **P. milvina* (Hentz) (BK)

P. modica (Blackwall) (BK)
P. moesta Banks (BK)
 **P. saxatilis* (Hentz) (BK)
P. xerampelina (Keyserling) (BK)
Pirata alachuus Gertsch & Wallace (B&N)
P. apalacheus Gertsch (W&E)
P. aspirans Chamberlin [= *P. arenicola* Emerton] (BK)
P. giganteus Gertsch (BK)
 **P. insularis* Emerton (BK)
P. minutus Emerton (BK)
P. montanoides Banks (W&E)
P. montanus Emerton (BK)
P. piraticus (Clerck) (BK)
P. sedentarius Montgomery [= *P. maculatus* Emerton] (BM)
P. spiniger (Simon) (B&N)
P. sylvanus Chamberlin & Ivie (W&E)
P. triens Wallace & Exline (W&E)
P. zelotes Wallace & Exline (W&E)
Rabidosa hentzi (Banks) [= *Lycosa hentzi* Banks] (B&N)
 **R. punctulata* (Hentz) [= *Lycosa punctulata* Hentz] (BK)
 **R. rabida* (Walckenaer) [= *Lycosa rabida* Walckenaer] (BK)
Schizocosa aulonia Dondale (AAS)
S. avida (Walckenaer) [= *Lycosa avida* Walckenaer] (BK)
 **S. bilineata* (Emerton) (BK)
S. crassipalpa Roewer (AAS)
S. crassipes (Walckenaer) (BK)
S. mccooki (Montgomery) (JB)
 **S. ocreata* (Hentz) [= *S. crassipes* (Walckenaer) in part] (U & D)
S. retrorsa (Banks) (BK)
S. rovneri Uetz & Dondale (U&D)
S. saltatrix (Hentz) (BK)
S. stridulans Stratton
Trebacosa marxi (Stone) [= *Pirata marxi* Stone] (BK)
Trochosa terricola Thorell (AAS)
Varacosa avara (Keyserling) [= *Trochosa avara* (Keyserling)] (BK)
V. shenandoa (Chamberlin & Ivie) (AAS)

Family Gnaphosidae

Callilepis imbecilla (Keyserling) (BK)
C. pluto Banks (B&N)
Cesonia bilineata (Hentz) (BK)
Drassodes neglectus (Keyserling) (BK)
D. saccatus (Emerton) [= *D. robinsoni* Chamberlin] (BK)
Drassyllus aprilinus (Banks) (BK)
D. covensis Exline (B&N)
D. creolus Chamberlin & Gertsch (B&N)
D. depressus (Emerton) (BK)
D. dixinus Chamberlin (JB)
D. eremitus Chamberlin (BK)

D. fallens Chamberlin (B&N)
D. frigidus (Banks) (B&N)
D. lepidus (Banks) (JB)
D. niger (Banks) (JB)
D. novus (Banks) [= *D. virginianus* Chamberlin] (BK)
D. rufulus (Banks) (JB)
Gnaphosa fontinalis Keyserling (B&N)
G. sericata (L. Koch) (BK)
Haplodrassus bicornis (Emerton) (B&N)
H. mimus Chamberlin (BK)
H. signifer (C. L. Koch) (BK)
 **Herpyllus ecclesiasticus* Hentz [= *H. vasifer* (Walckenaer)] (BK)
Litopyllus temporarius Chamberlin [= *L. rupicolens* Chamberlin] (B&N)
Micaria delicatula Bryant [= *M. aurata* (Hentz)] (BK)
M. laticeps Emerton (B&N)
M. longipes Emerton (BK)
M. pulicaria (Sundevall) (BK)
 **Sergiolus capulatus* (Walckenaer) [= *S. variegatus* (Hentz)] (BK)
S. decoratus Kaston (JB)
S. minutus (Banks) (JB)
S. montanus (Emerton) (JB)
S. ocellatus (Walckenaer) (JB)
S. tennesseensis Chamberlain (JB)
Sosticus insularis (Banks) (BK)
S. loricatus (L. Koch) [= *Sostogeus zygethus* Chamberlin & Gertsch] (BK)
Synaphosus paludis (Chamberlin & Gersch) (JB)
Talanites exlinae (Platnick & Shadab) [= *Rachodrassus exlinae* Platnick & Shadab] (B&N)
Trachyzelotes lyonneti (Audouin) (JB)
Urozelotes rusticus (L. Koch) [= *Drassyllus rusticus* (L. Koch) and *Haplodrassus magister* Chamberlin both of Kaston's (1955) check list] (BK)
Zelotes duplex Chamberlin
Z. fratris Chamberlin [= *Z. subterraneus* (C. L. Koch) (BK)]
Z. hentzi Barrows (BK)
Z. laccus (Barrows) (L&U)

Family Clubionidae

**Clubiona abboti* L. Koch (BK)
C. bryantae Gertsch (B&N)
C. catawba Gertsch (B&N)
C. johnsoni Gertsch (BK)
C. kastoni Gertsch (B&N)
C. maritima L. Koch [= *C. tibialis* Emerton] (BK)
C. moesta Banks (B&N)
 **C. obesa* Hentz (BK)
C. pygmaea Banks (BM)
C. riparia L. Koch (B&N)
C. saltitans Emerton (BK)

Elaver excepta (L. Koch) [= *Clubiona pallens* Hentz] (BK)

Family Corinnidae

Castianeira alata Muma (JB)

C. amoena (C. L. Koch) (B&N)

C. cingulata (C. L. Koch) (BK)

C. crocata (Hentz) (B&N)

C. descripta (Hentz) (BK)

C. gertschi Kaston (BM)

**C. longipalpa* (Hentz) (BK)

C. trilineata (Hentz) (BK)

C. variata Gertsch (B&N)

Meriola decepta Banks (BK)

Trachelas tranquillus (Hentz) [= *T. ruber* Keyserling] (BK)

Family Liocranidae

Phrurolithus emertoni Gertsch [= *Scotinella emertoni* (Gertsch)] (BK)

P. goodnighti Muma [= *Scotinella goodnighti* (Muma)] (BK)

P. similis Banks [= *Scotinella similis* (Banks)] (B&N)

P. singulus Gertsch [= *Scotinella delicatulus* (Gertsch)] (BK)

Phruronellus formica (Banks) [= *Scotinella formica* (Banks)] (BK)

Phrurotimpus alarius (Hentz) (BK)

P. borealis (Emerton) (BK)

P. illudens Gertsch (B&N)

P. minutus (Banks) (BK)

Scotinella britcheri (Petrunkevitch) (B&N)

S. fratrella (Gertsch) (JB)

S. pugnata (Emerton) (BK)

S. redempta (Gertsch)

Family Miturgidae

**Cheiracanthium inclusum* (Hentz) (BK)

**C. mildei* L. Koch (B&N)

Strotarchus piscatorius (Hentz) (B&N)

Family Anyphaenidae

**Anyphaena celer* (Hentz) (B&N)

A. fraterna (Banks) (BM)

A. maculata (Banks) (B&N)

**A. pectorosa* L. Koch (BK)

Hibana cambridgei (Bryant) (BK)

**H. gracilis* (Hentz) [= *Aysha gracilis* (Hentz)] (BK)

Oxysoma cubanum Banks (L&U)

Wulfila albens (Hentz) (B&N)

**W. saltabundus* (Hentz) (BK)

Family Ctenidae

Anahita punctulata (Hentz) [= *A. animosa* (Walckenaer)] (B&N)

Family Zoridae

Zora pumila (Hentz) (B & N)

Family Thomisidae

- **Bassaniana versicolor* (Keyserling) [= *Coriarachne versicolor* Keyserling] (BK)
- **Misumena vatia* (Clerck) (BK)
- **Misumenoides formosipes* (Walckenaer)] (BK)
- **Misumenops asperatus* (Hentz) (BK)
 - M. celer* (Hentz) [= *M. delphinus* (Walckenaer)] (BK)
- **M. oblongus* (Keyserling) (BK)
 - Ozyptila americana* Banks (BK)
 - O. conspurcata* Thorell (BK)
 - O. monroensis* Keyserling (BK)
- **Synema parvulum* (Hentz) (BM)
 - Tmarus angulatus* (Walckenaer) (BK)
 - Xysticus auctificus* Keyserling (L&U)
 - X. banksi* Bryant (BK)
 - X. bicuspis* Keyserling (BK)
 - X. discursans* Keyserling (BK)
 - X. elegans* Keyserling (BK)
 - X. emertoni* Keyserling (BK)
- **X. ferox* (Hentz) [= *X. transversatus* (Walckenaer)] (BK)
 - X. fraternus* Banks (BK)
 - X. funestus* Keyserling [= *X. tumefactus* (Walckenaer)] (BK)
- **X. gulosus* Keyserling (BK)
 - X. luctans* (C. L. Koch) (BK)
 - X. texanus* Banks (B&N)
- **X. triguttatus* Keyserling (BK)

Family Philodromidae

- Ebo latithorax* Keyserling (BK)
- E. pepinensis* Gertsch (BK)
- Philodromus alascensis* Keyserling (BK)
- P. bimuricatus* Dondale & Redner (B&N)
- P. cespitum* (Walckenaer) [= *P. aurolus* (Clerck)] (BK)
- P. imbecillus* Keyserling (BK)
- P. infuscatus* Keyserling (B&N)
- P. keyserlingi* Marx (B&N)
- **P. marxi* Keyserling (BK)
 - P. minutus* Banks (B&N)
 - P. montanus* Bryant (B&N)
 - P. oneida* Levi (B&N)
 - P. placidus* Banks (B&N)
 - P. praelustris* Keyserling (B&N)
 - P. pratariae* (Scheffer) (B&N)
 - P. rufus* Walckenaer (BK)
- **P. vulgaris* (Hentz) [probably Kaston's (1955) *P. pernix* Blackwall] (BK)
- **Thanatus formicinus* (Clerck) (BK)
 - T. rubicellus* Mello-Leitao (B&N)

- **Tibellus duttoni* (Hentz) (BK)
- T. maritimus* (Menge) (BK)
- **T. oblongus* (Walckenaer) (BK)

Family Salticidae

- Admestina tibialis* (C. L. Koch) (BK)
- Agassa cyanea* (Hentz) (BK)
- Attidops youngii* (Peckham & Peckham) [= *Ballus youngii* Peckham & Peckham] (B&N)
- **Eris aurantius* (Lucas) [= *Paraphidippus aurantius* (Lucas)] (BK)
- E. flava* (Peckham & Peckham) [= *Paraphidippus flavus* (Peckham & Peckham)] (BK)
- **E. militaris* (Hentz) [= *Paraphidippus marginatus* (Walckenaer)] (BK)
- E. pinea* (Kaston) (L&U)
- Evarcha hoyi* (Peckham) (BK)
- Ghelna canadensis* (Banks) [= *Metaphidippus canadensis* (Banks)] (BK)
- Habrocestum parvulum* (Banks) (BK)
- **H. pulex* (Hentz) (BK)
- Habronattus agilis* (Banks) (BK)
- H. borealis* (Banks) (BK)
- H. calcaratus* (Banks) (BK)
- H. cognatus* (Peckham & Peckham) (AAS)
- H. coecatus* (Hentz) [= *H. coronatus* (Hentz)] (BM)
- H. conjunctus* (Banks) [= *H. arizonensis* (Banks)] (BK)
- H. decorus* (Blackwall) (B&N)
- H. texanus* (Chamberlin) [= *H. rutherfordi* (Gertsch & Mulaik)] (L&U)
- H. viridipes* (Hentz) (BK)
- Hasarius adansonii* (Audouin) (BK)
- **Hentzia palmarum* (Hentz) [= *H. ambigua* (Walckenaer)] (BK)
- H. mitrata* (Hentz) (BK)
- **Maevia inclemens* (Walckenaer) (BK)
- Marpissa bina* (Hentz) [= *Hycitia bina* (Hentz)] (BK)
- M. grata* (Gertsch) [= *Hycitia grata* Gertsch] (BK)
- M. lineata* (C. L. Koch) [= *Onondaga lineata* (C. L. Koch)] (BK)
- M. pikei* (Peckham) [= *Hycitia pikei* Peckham] (BK)
- Metacyrba taeniola* (Hentz) (BM)
- Neon nellii* Peckham (BK)
- Peckhamia americana* (Peckham) (BM)
- Pelegrina chalceola* Maddison (JB)
- P. exigua* (Banks) (AAS)
- P. flavidipes* (Peckham & Peckham) [= *Metaphidippus flavidipes* (Peckham & Peckham)] (BK)
- **P. galathea* (Walckenaer) [= *Metaphidippus galathea* (Walckenaer)] (BK)
- P. insignis* (Banks) [= *Metaphidippus insignis* (Banks)] (BK)
- **P. proterva* (Walckenaer) [= *Metaphidippus protervus* (Walckenaer)] (BK)
- Pellenes wrighti* Gertsch (AAS)
- **Phidippus audax* (Hentz) (BK)
- P. cardinalis* (Hentz) (B&N)
- **P. clarus* Keyserling [= *P. rimator* (Walckenaer)] (BK)
- P. insignarius* C. L. Koch [= *P. fraudulentus* (Walckenaer)] (BK)
- P. mccooki* (Peckham) (BK)

- P. mystaceus* (Hentz) (BK)
P. pius Scheffer (B&N)
P. princeps (Peckham) (BK)
P. putnami (Peckham & Peckham) (B&N)
P. whitmani Peckham (BK)
Phlegra fasciata (Hahn) (B&N)
 **Platycryptus undatus* (DeGeer) [= *Metacyrba undata* (DeGeer)] (BK)
 **Salticus scenicus* (Clerck) (BK)
Sarinda hentzi (Banks) [= *Myrmarachne hentzi* Banks] (BM)
Sassacus papenhoei Peckham (B&N)
Sitticus concolor (Banks) [= *S. cursor* Barrows] (BK)
S. fasciger (Simon) (B&N)
S. palustris (Peckham) (BK)
Synageles noxiosus (Hentz) [= *Gertschia noxiosa* (Hentz)] (BK)
S. occidentalis Cutler (BC)
Synemosyna formica Hentz [= *S. lunata* (Walckenaer)] (BK)
Talavera minuta (Banks) (BK)
 **Thiodina puerpera* (Hentz) [= *T. inornata* (Walckenaer)] (BK)
 **T. sylvana* (Hentz) (BK)
 **Tutelina elegans* (Hentz) (BK)
T. formicarius (Emerton) [= *Icius formicarius* Emerton] (BK)
T. harti (Emerton) [= *Icius hartii* Emerton] (BK)
T. similis (Banks) (BK)
Zygoballus nervosus Peckham (BK)
 **Z. rufipes* Peckham & Peckham [= *Z. bettini* G. & E. Peckham] (BK)
Z. sexpunctatus (Hentz) (B&N)

Family Oecobiidae

- Oecobius cellariorum* (Dugès) [= *O. texanus* Bryant] (BM)

Family Uloboridae

- Hyptiotes cavatus* (Hentz) (BK)
 **Octonoba sinensis* (Simon) [= *Uloborus octonarius* Muma] (BM)
 **Uloborus glomosus* Walckenaer [Kaston's (1955) *U. americanus* Walckenaer] (BK)

Family Titanoecidae

- Titanoeca americana* Emerton (BK)
T. brunnea Emerton (AAS)

Family Amaurobiidae

- Amaurobius ferox* (Walckenaer) (BK)
Callobius bennetti (Blackwall) [= *Amaurobius bennetti* (Blackwall)] (BK)
Coras juvenilis (Keyserling) (BK)
C. lamellosus (Keyserling) (BK)
 **C. medicinalis* (Hentz) (BK)
C. taugynus Chamberlin (B&N)
Wadotes calcaratus (Keyserling) (BK)

Family Dictynidae

Argenna obesa Emerton (B&N)
Cicurina arcuata Keyserling (AAS)
C. cavealis Bishop & Crosby (JB)
C. brevis (Emerton) (BK)
C. ludoviciana Simon (BK)
C. pallida Keyserling (BK)
C. placida Banks (BK)
C. robusta Simon (BK)
Dictyna bellans Chamberlin (AAS)
D. bostoniensis Emerton (BK)
D. coloradensis Chamberlin (B&N)
D. foliacea (Hentz) (BK)
D. formidolosa Gertsch & Ivie (B&N)
D. longispina Emerton (BK)
D. minuta Emerton (BK)
**D. volucripes* Keyserling (BK)
Emblyna annulipes (Blackwall) [= *Dictyna annulipes* (Blackwall)] (BK)
E. cruciata (Emerton) [= *Dictyna cruciata* Emerton] (B&N)
E. hentzi (Kaston) [= *Dictyna hentzi* Kaston] (B&N)
E. manitoba (Ivie) [= *Dictyna manitoba* Ivie] (BK)
**E. sublata* (Hentz) [= *Dictyna sublata* (Hentz)] (BK)
Lathys immaculata (Chamberlin & Ivie) (B&N)
Phantyna bicornis (Emerton) [= *Dictyna bicornis* Emerton] (BK)

